Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	(("6636983") or ("5237693")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 11:05
S2	160247	((select\$3 choos\$3 vot\$4) and (configur\$4 manag\$4) and (group\$1 cluster\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 11:07
S3	1979	((select\$3 choos\$3 vot\$4) and (configur\$4 manag\$4) and (group\$1 cluster\$1)).ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 13:53
S4	62	"709"/\$.ccls. and ((select\$3 choos\$3 vot\$4) and (configur\$4 manag\$4) and (group\$1 cluster\$1)).ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 08:20
S5	2	("6725264").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 13:51
S6	2	("6993587").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 13:51
<b>S7</b>	176	"709"?\$.ccls. and (manag\$4 configur\$4).ti. and (select\$4 choos\$3 elect\$4 vot\$4).ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 07:55
S8	176	"709"\$.ccls. and (manag\$4 configur\$4).ti. and (select\$4 choos\$3 elect\$4 vot\$4).ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 13:55

S9	19	"709"\$.ccls. and (manag\$4 configur\$4).ti. and ((select\$4 choos\$3 elect\$4 vot\$4) and (groups clusters member\$3)).ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 14:54
S10	221	"709"\$.ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) with web with (manag\$4 configur\$4)) and (groups clusters member\$3) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 14:56
S11	29	"709"\$.ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) with web with (manag\$4 configur\$4)) same (groups clusters member\$3) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 14:57
S12	122	"709"\$.ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) with web with server with (manag\$4 configur\$4)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 21:45
S13	6	"709"\$.ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) with web with server\$1 with (manag\$4 configur\$4)).ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 15:00
S14	10	"709"\$.ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) near4 web near3 server\$1 near3 (manag\$4 configur\$4)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/06/26 15:02
S15	405	"709"\$.ccls. and ((configur\$ near2 web near3 (server node host computer))) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 15:03
S16	9	"709"\$.ccls. and ((configur\$ near2 web near3 (server node host computer) with (cluster groups))) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 15:13

S17	9	"709"\$.ccls. and ((configur\$ near2 web near3 (server node host	US-PGPUB; USPAT;	OR	ON	2007/06/26 15:18
		computer) )).ab. and @ad<="20010807"	USOCR; EPO; JPO; DERWENT; IBM_TDB			
S18	26	"709"\$.ccls. and ((configur\$ near2 web near3 (server node host computer) same (groups clusters) )) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 15:40
S19	2	("6397245").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 15:44
S20	2	("6636983").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 15:46
S21	2	("5237693").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 17:43
S22	2	("20030200267").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/06/26 17:44
S23	2	("6327656").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 17:45
S24	2	("5452099").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 17:46

S25	2	("20020138769").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 17:47
S26	2	("5452099").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/26 17:47
S27	2	("6886095").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:12
S28	2	("20030033533").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:13
S29	2	("20020085579").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/06/27 14:14
S30	2	("20020116608").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:15
S31	2	("20020042877").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:15
S32	2	("6963971").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:16

S33	2	("20050005124").PN.	US-PGPUB;	OR	OFF	2007/06/27 14:16
	_	( =	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			2007/00/27 1110
534	2	("6327656").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:31
S35	2	("20020112030").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:33
S36	4	(("6854034") or ("6282197")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:34
S37	2	("6301605").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/27 14:34
S38	2	("6,745,240").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 09:10
S39		("6,381,635").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2007/07/05 09:10
S40	5017	"709"\$.ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) with (manag\$4 configur\$4 coordinator\$3)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 21:46

S41	67	"709"\$.ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) with (manag\$4 configur\$4 coordinator\$3) same peripheral) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 21:47
S42	34	"709"\$.ccls. and ((select\$4 choos\$3 elect\$4 vot\$4) with (manag\$4 configur\$4 coordinator\$3) with peripheral) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 21:52
S43	0	((select\$4 choos\$3 elect\$4 vot\$4) near4 (manag\$4 configur\$4 coordinator\$3) with (group\$1 near2 peripheral)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OŘ	ON	2007/11/26 21:52
S44	0	((select\$4 choos\$3 elect\$4 vot\$4) near4 (manag\$4 configur\$4 coordinator\$3) same(group\$1 near2 peripheral)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 21:53
S45	5	((select\$4 choos\$3 elect\$4 vot\$4) with (manag\$4 configur\$4 coordinator\$3) same(group\$1 near2 peripheral\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 21:58
S46	45	((group\$1 with (manag\$4 configur\$4 coordinator\$3) near4 peripheral\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 21:58
S47	23	((group\$1 with (manag\$4 configur\$4 coordinator\$3) near2 peripheral\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:32
S48	0	((group\$1 with (manager) near2 peripheral\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/11/26 22:05

S49	190	(((manager) near2 peripheral\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 22:05
S50	30	(((manager) adj1 peripherai\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/26 22:05
S51	13	((group\$1 with (manag\$4 configur\$4 coordinator\$3) adj2 peripheral\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/11/27 09:45
S52	336	(((manag\$4 configur\$4 coordinator\$3) adj2 peripheral\$1)). ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 09:45
S53	5	(((manager) adj2 peripheral\$1)).ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 10:55
S54	47	((manage\$4 with centraliz\$4 with peripheral\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 10:59
S55	0	((manage\$4 with centraliz\$4 with joinstick\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:00
S56	0	((manage\$4 with joinstick\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:00

	···		·			
S57	0	((manage\$4 with join near2 stick\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:00
S58	2	((control\$4 with join near2 stick\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:00
S59	405	((manag\$4 with removable)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:01
S60	32	((manag\$4 with central\$4 with removable)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:10
S61	553	((manag\$4 adj2 peripheral)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:11
S62	118	((manag\$4 adj2 peripheral)).ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 11:19
S63	28	((manag\$4 adj2 peripheral)).ti. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 12:35
S64	4	((centrali\$4 with manag\$4 adj2 peripheral)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 12:38

S65	596	((centrali\$4 with peripheral)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 12:38
S66	37	((centrali\$4 with peripheral with management\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 12:39
S67	9	((centrali\$4 with peripheral with management\$1)).ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 12:42
S68	14	((peripheral\$1 with management\$1 near2 server)).ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 16:28
S69	. 0	("20030212759").PN.	USPAT; USOCR	OR	OFF	2007/11/27 16:28
S70	1	("20030212759").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/27 16:28
S71	1	("20020124249").PN.	US-PGPUB; USPAT; USOCR	OR	ÖFF	2007/11/27 16:29
S72	1	("7028072").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/27 16:30
S73	. 1	("20020120498").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/27 16:30
S74	1	("20020065718").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/27 16:30
S75	4	"709"/\$.ccls. and (mobile with manage\$4 with peripheral\$3) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 08:23

			•			
S76	74	(mobile with manage\$4 with peripheral\$3) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 10:10
S77	13	(mobile with manage\$4 with peripheral\$3).ab. and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/28 08:24
S78	0	("20030026289").PN.	USPAT; USOCR	OR	OFF	2007/11/28 16:58
S79	1	("20030026289").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/28 16:58
S80	1	("6735621").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/28 16:59
S81	1	("6741687").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/28 17:00
S82	0	("20010087693").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/28 17:00
S83	0	("20010087693").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/28 17:00
S84		("20010087693").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 17:00
S85	2	("20020087693").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/11/28 17:01
S86	2	("20040008837").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 17:02

Γ			1	1		
S87	2	("5717745").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 17:02
S88	0	("20040071099").PN.	USPAT; USOCR	OR	OFF	2007/11/29 08:51
S89	1	("20040071099").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/29 08:52
S90	1	("7016306").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/29 16:48
S91	1	("6735621").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/29 16:49
S92	1	("20030026289").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/29 16:49
S93	1	("6745240").PN.	USPAT; USOCR	OR	OFF	2007/11/30 09:09
S94	230	((manage\$4 near2 server\$1) with URI\$4) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 10:11
S95	3	((manage\$4 near2 server\$1) with URI\$4) with groups and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 10:12
S96	2	((manage\$4 adj2 server\$1) with URI\$4) same groups and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/11/30 10:13
S97	0	((manage\$4 adj2 node) with URI\$4) same groups and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/11/30 10:13

			1			
S98	0	((manage\$4 adj2 node) same URI\$4) same groups and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 10:13
S99	102	((manager) same URI\$4) same groups and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 10:14
S10 0	29	((manager)with URI\$4) same groups and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/11/30 10:19
S10 1		((admini\$6)with URI\$4) same groups and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 10:19
S10 2	29	((admini\$6)with URI\$4) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 10:19
S10 3	16	((admini\$6)with URI\$4)and (subnets groups) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 10:26
S10 4	80	(assign\$4 with (URLs WWW\$4) with (administrator\$3 adminis\$5 configur\$4 managers manag\$4)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 11:47
S10 5	49	(assign\$4 with (URLs WWW\$4) with (administrator\$3 adminis\$5 configur\$4 managers manag\$4)) and (groups subnets) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 11:13

			<del>-</del>			
S10 6	8	((if determin\$3 discover\$4 check\$4) with (parralel\$3 double near2 manag\$4)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 11:14
S10 7	7	((if determin\$3 discover\$4 check\$4) with ((parralel\$3 double) near2 manag\$4)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 11:23
S10 8	3	((disable with (parallel\$3 double\$3) with manag\$4)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 11:40
S10 9	1	("6185726").PN.	USPAT; USOCR	OR	OFF	2007/11/30 11:41
S11 0	. 1	("6745240").PN.	USPAT; USOCR	OR	OFF	2007/11/30 11:47
S11 1	1080	(manager near2 (copy fax\$4 printer\$1)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 11:48
S11 2	1	(manager adj1 (copy fax\$4 printer\$1) near2 (machine\$3 devices)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/30 11:49
S11 3	1	("6,990,591").PN.	USPAT; USOCR	OR	OFF	2007/12/11 07:51
S11 4	52	detect\$3 with Duplicate with managers and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/12/11 07:56
S11 5	0	configur\$3 with detect\$3 with Duplicate with managers and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	-2007/12/11 07:56

S11 6	0	configur\$3 same detect\$3 with Duplicate with managers and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 07:56
S11 7	39	configur\$3 and detect\$3 with Duplicate with managers and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 07:58
S11 8	0	configur\$3 and detect\$3 with Duplicate near1 managers and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 07:58
S11 9	. 4	configur\$3 and Duplicate near1 managers and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 07:59
S12 0	46	configur\$3 and Duplicate near3 managers and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:01
S12 1	0	configur\$3 and if with Duplicate near3 managers and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:01
S12 2	0	configur\$3 and if with Duplicate with managers and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:02
S12 3		configur\$3 and if with Duplicate and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:02

S12 4	0	configur\$3 same Duplicate with manager\$1 with controll\$3 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:02
S12 5	1	configur\$3 same Duplicate with manager\$1 same controll\$3 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:03
S12 6	5	configur\$3 same Duplicate near1 controll\$3 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:06
S12 7	199	duplicate\$3 near2 manag\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:06
S12 8	5	(detect\$4 recogniz\$4) with duplicate\$3 near2 manag\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:09
S12 9	45	(detect\$4 recogniz\$4) same duplicate\$3 near2 manag\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:16
S13 0	2	(detect\$4 recogniz\$4) same duplicate\$3 adj1 manag\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:09
S13 1	2	(detect\$4 recogniz\$4) same duplicate\$3 adj2 manag\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:10

S13 2	28023	(detect\$4 recogniz\$4) same duplicate\$3 S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:10
S13 3	199	duplicate\$3 near2 manag\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:16
S13 4	17	duplicate\$3 adj1 manag\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/12/11 08:28
S13 5	164702	(duplicate\$3 with manag\$4 disabl\$4) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR -	ON	2007/12/11 08:29
S13 6		(duplicate\$3 with manag\$4 with disabl\$4) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:29
S13 7	349	(duplicate\$3 with disabl\$4) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:29
S13 8	2	(duplicate\$3 with disabl\$4 with configur\$4) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:31
S13 9	349	(duplicate\$3 with disabl\$4) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:31

S14 0	1337402	configu\$4 wiht(duplicate\$3 with disabl\$4) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:31
S14 1	2	configu\$4 with (duplicate\$3 with disabl\$4) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:31
S14 2	9	configu\$4 same (duplicate\$3 with disabl\$4) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:36
S14 3	0	(duplicate\$3 near2 (manager\$1 controller\$1)) with disabl\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:37
S14 4	8	(duplicate\$3 near44 (manager\$1 controller\$1)) with disabl\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:39
S14 5	0	(eleminat\$4 with duplicate\$3 near2 (manager\$1 controller\$1))and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/12/11 08:40
S14 6	22051	(disabl\$4 with (second extra))and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:41
S14 7	396	(disabl\$4 with (second extra) near2 process\$4)and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:41

S14 8	161	(disabl\$4 with (second extra) near2 process\$4) and configur\$3 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/12/11 08:51
S14 9	1	("5,844,326").PN.	USPAT; USOCR	OR	OFF	2007/12/11 08:51
S15 0	0	(disabl\$4 with (parralel\$)) and configur\$3 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:52
S15 1	654	(disabl\$4 with (Parallel)) and configur\$3 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:52
S15 2		(disabl\$4 with (Parallel) with manager) and configur\$3 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:53
S15 3	2	(disabl\$4 with (Parallel) with manager\$) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/12/11 08:54
S15 4	4	(disabl\$4 same (Parallel) with manager\$) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:55
S15 5	447	(disabl\$4 near3 (Parallel)) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:55
S15 6	1	(disabl\$4 near3 (Parallel)) same manag\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:56

S15 7	5	(disabl\$4 with(Parallel)) same manag\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:58
S15 8	43	(disabl\$4 with(duplicat\$4)) same manag\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 08:58
S15 9	6	(disabl\$4 with(duplicat\$4)) with manag\$4 and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:03
S16 0	93	(disabl\$4 near1 manag\$4) and @ad<="20010807"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 09:04